

JOB No. 15079 ~ A4401

SUFFOLK COUNTY TAX MAP

DISTRICT 0900
SECTION 078.00
BLOCK 02.00
PARCEL 078.000

APR 25 2018

SUFF. CO. HEALTH SERVICES
OFFICE OF WASTEWATER MGMT.

SUFFOLK COUNTY DEPT. OF HEALTH SERVICES
CALL 852-5555 24 HOURS IN ADVANCE,
TO SCHEDULE INSPECTION(S).

now or formerly:
TOWN OF SOUTHAMPTON
(LOCAL)

now or formerly:
JOSEPH S. & HELEN L. LAVINIO
(RESIDENCE W/ WELL)

now or formerly:
LAVINIO
(RESIDENCE W/ WELL)

COMMON DRIVEWAY
& UTILITY EASEMENT

S 09°41'56"E 152.80'

S 09°06'29"E

603.79'

now or formerly:
TOWN OF SOUTHAMPTON
OPEN SPACE
(LOCAL)

279.69'

PROPOSED
POOL HOUSE
1st FLOOR EL. = 100±

DRAINAGE CALCULATIONS:

FOR ROOF RUNOFF:

PROPOSED HOUSE INCL. COVERED DECK
MEASURES 2,025 S.F.
2,025 S.F. X 2" RAIN = 337.5 C.F. REQ.
USE: (2) 8" DIA X 4' DEEP DRYWELLS
337.5 C.F. OF STORAGE PROVIDED
PROPOSED GARAGE MEASURES 740 S.F.
740 S.F. X 2" RAIN = 124.0 C.F. REQ.
USE: (1) 8" DIA X 3' DEEP DRYWELL
128.7 C.F. OF STORAGE PROVIDED
PROPOSED POOL HOUSE INCL. COV. PATIO
MEASURES 887 S.F.
887 S.F. X 2" RAIN = 114.9 C.F. REQ.
USE: (1) 8" DIA X 3' DEEP DRYWELL
128.7 C.F. OF STORAGE PROVIDED

FOR POOL DISCHARGE:

PROPOSED POOL MEASURES 920 S.F.
920 S.F. X 5" AVG. DEPTH = 4,600 C.F.
4,600 C.F. X 5% = 230 C.F. REQ.
USE: (1) 8" DIA X 8' DEEP DRYWELL
253.4 C.F. OF STORAGE PROVIDED

FOR TENNIS COURT RUNOFF:

PROPOSED TENNIS COURT MEASURES 7,200 S.F.
7,200 S.F. X 2" RAIN = 1,200 C.F. REQ.
4,600 C.F. X 5% = 230 C.F. REQUIRED
USE: (5) 8" DIA X 8' DEEP DRYWELLS
1,267.2 C.F. OF STORAGE PROVIDED

REVISED: APRIL 23, 2018 (REV. PROPOSED)
REVISED: MARCH 27, 2018 (REV. PROPOSED)
REVISED: MARCH 16, 2018 (DRAINAGE CALC.)
REVISED: MARCH 16, 2018 (RESIDENTIAL SITE)
REVISED: FEBRUARY 21, 2018 (TOPOGRAPHY)
SURVEYED: APRIL 23, 2015

LESTER HOLDEN, L.S. #9548

S. H. W. and S. LAND SURVEYORS, P.C.

SQUIRES HOLDEN, WEISENBACHER & SMITH

LAND SURVEYING ~ LAND PLANNING ~ ENGINEERING
SOUTHAMPTON ~ NEW YORK

NOTE:

- SUBJECT PARCEL LIES IN THE AQUIFER PROTECTION OVERLAY DISTRICT.
- CLEARING CALCULATIONS:
LOT AREA EXCLUDING FLAG = 95,954 S.F.
PROPOSED CLEARING MEASURES 23,988 S.F.
23,988 S.F. / 95,954 S.F. = 25.0%
- DATUM IS N.A.S.D. OF 1988. CONTOURS AND ELEVATIONS SHOWN ARE BASED ON AN ACTUAL FIELD SURVEY.

GROUND EL. 105±		
3'	SM	BROWN SILTY SAND
17'	SP	PALE BROWN FINE SAND

TEST HOLE DATA

NOT TO SCALE
TEST HOLE DUG OCTOBER 3, 2002
BY McDONALD GEOSCIENCE

N 09°06'29"W

PROPOSED SANITARY SYSTEM
8" DIA. 1500 GAL. SEPTIC TANK W/
(2) 8" DIA X 8' DEEP CESSPOOLS

MAP OF LOT No. 2
SUBDIVISION MAP FOR
BURTON & PATRICIA CORBUS
MAP No. 11219 ~ FILED: FEB. 2, 2005
FOR

SITUATE
NORTH SEA
TOWN OF SOUTHAMPTON
SUFFOLK COUNTY, NEW YORK

AREA = 104,194 S.F. (2.392 ACRES)

SCALE: 1" = 60'

MAJORS PATH

SEE ATTACHMENT(S)

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
PERMIT FOR APPROVAL OF CONSTRUCTION FOR A
SINGLE FAMILY RESIDENCE AND

Pool House
DATE MAY 24 2018 S. REG. NO. 609-18-0207
APPROVED [Signature]
TOTAL MAXIMUM BEDROOMS 6
EXPIRES THREE YEARS FROM DATE OF APPROVAL

SPACE FOR S.C.D.H.S. USE