SURVEY OF:

PROPERTY LOCATED AT NOYACK TOWN OF SOUTHAMPTON SUFFOLK COUNTY, NEW YORK S.C.T.M. # 900-23-1-79.3

AREA = 73,027.8 SF. = 1.68 ACRES

SCALE: 1"=50"

NOTE: THE EXISTENCE OF RIGHT OF WAYS. WETLANDS AND/OR EASEMENTS OF RECORD IF ANY, NOT SHOWN ARE NOT GUARANTEED.

MAXIMUM ALLOWABLE CLEARING 35% X 73.027.8 = 25.560 SF. EXISTING CLEARING = 25.450 SF.

MAXIMUM ALLOWABLE LOT COVERAGE 15% X 73.027.9 = 10.954.2 SF. EXISTING LOT COVERAGE = 2.888 SF.

ELEVATIONS REFER TO 1988 NAVD

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES APPROVAL OF CONSTRUCTED WORKS FOR A SINGLE FAMILY RESIDENCE

HS Ref No

The sewage disposal and water supply facilities at this location have been ensected and/or certified by this Department or other agencies and found to be satisfactory FOR A MAXIMUM DF

6 BEDROOMS

JA P.

WICKATUCK LANE 04°15'10"W 58.34' S ഗ 12°48'28'E N 75°14'10"E STONEY HILL ROAD 12°48'20"E 263.44' WATER Z 16.04.43"\
15.04.43"\
328.41 MilQ. LP2 2 STY FR. RESIDENCE **∂** 0B NV S CD PATIO A MOOD POLE 28°39' E 褔 2ND STY CONC DECK MON. (OW) @利 EDGE OF CLEARING WOOD O FENCE FENCE POOL O FENCE EQUIP NOTE: WATER SERVICE AND SEPTIC SYSTEM LOCATION BY OTHERS, B.O.H. REF. No. s 75°14'10"W 229.52

٠٨٠ .8. 44 37 40 39.5 37 42 I/A DB 42.5 51 30.5 48

UNAUTHORIZED ALTERATION OR ADDITION TO THIS SURVEY IS A VIOLATION OF SECTION 7289 OF THE NEW YORK STATE EDUCATION LAM.

CONEIS OF THIS SURVEY MAY NOT BEARDAY THE LIVED SURVEYLORS INKED OR BYSIGSED SEALE SHALL HAIT ES MORE THE LIVED SURVEYLORS INKED OR BYSIGSED SEALE SHALL HAIT ES MORE DISCOVERY HAVE AND THE RESEARCH OF THE LIVED SHALL HAVE AND THE SEALE OF THE PRESENT OF HAVING THE SURVEY IS REPREMED. AND ON HIS SEPLIAT TO THE THIS COMPANY, GOVERNMENTAL AGENCY AND LENDING INSTITUTION LISTED HERGING AND TO THE ASSIGNEES OF THE LENDING INSTITUTION GUARANTESS OF CERTIFICATIONS ARE NOT TRANSFERRABLE TO ADDITIONAL DISTITUTION OF DISSECUENT OF MARKETS.

CERTIFIED TO: AMTRUST TITLE INSURANCE COMPANY B-SERK 121 STONEY HILL, LLC

5020-FINAL



SURVEYED BY: PAUL BARYLSKI LAND SURVEYING PATCHOGUE NY 11772 PHONE 631-294-6985 FAX 631-627-3186 PAULBARYLSKI@YAHOO.COM JANUARY 25, 2022

5-3-2023: STAKE OUT POOL 11-2-2024: FINAL SURVEY 2-26-2025: UPDATE SURVEY